## NSN 5999-01-068-6221

View Online at https://aerobasegroup.com/nsn/5999-01-068-6221

Delay Line - Page 1 of 2



**Body Style:** Rectangular Frequency Rating: Not rated **Body Length:** 3.000 inches **Body Width:** 1.625 inches **Individual Section Quantity: Operating Tempurature Range:** -55.0/+125.0 degrees celsius **Inclosure Type:** Hermetically sealed **Mounting Facility Quantity: Voltage Rating:** 3.000 volts **Material And Location:** Copper terminal **Surface Treatment And Location:** Tinned terminal Input Impedance Rating: 400.000 ohms **Output Impedance Rating:** 400.000 ohms Frequency Bandwidth: Not rated **Body Depth:** 0.500 inches **Mounting Facility: Attenuation In Decibels:** Not rated **Signal Delay Method:** Lumped constant **Delay Time Variation Method:** Tapped **Section Delay Time:** 29.000 microseconds single section **Segment Quantity Per Section:** 

3 single section

## NSN 5999-01-068-6221

Delay Line - Page 2 of 2



	Segment	Delay	Time:
--	---------	-------	-------

6.000 microseconds single section 3rd segment err-100

**Delay Time Variation Per Deg Celsius:** 

Not rated

**Pulse Rise Time Rating:** 

2.0 microseconds

**Terminal Type And Quantity:** 

6 pin

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A32100