NSN 5999-01-068-6221

Delay Line - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-068-6221

Body Style:

Rectangular

Frequency Rating:

Not rated

Body Length:

3.000 inches

Body Width:

1.625 inches

Individual Section Quantity:

1

Operating Tempurature Range:

-55.0/+125.0 degrees celsius

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

4

Voltage Rating:

3.000 volts

Material And Location:

Copper terminal

Surface Treatment And Location:

Tinned terminal

Input Impedance Rating:

400.000 ohms

Output Impedance Rating:

400.000 ohms

Frequency Bandwidth:

Not rated

Body Depth:

0.500 inches

Mounting Facility:

Pin

Attenuation In Decibels:

Not rated

Signal Delay Method:

Lumped constant

Delay Time Variation Method:

Tapped

Section Delay Time:

29.000 microseconds single section

Segment Quantity Per Section:

3 single section

NSN 5999-01-068-6221

Delay Line - Page 2 of 2



Segment Delay Time:

6.000 microseconds single section 3rd segment err-100

Delay Time Variation Per Deg Celsius:

Not rated

Pulse Rise Time Rating:

2.0 microseconds

Terminal Type And Quantity:

6 pin

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A32100