NSN 5999-01-078-9603

Delay Line - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-078-9603

Body Style:

Rectangular

Frequency Rating:

Not rated

Body Length:

0.880 inches

Body Width:

0.310 inches

Individual Section Quantity:

1

Longest Horizontal Distance Between Mounting Centers:

0.600 inches

Longest Vertical Distance Between Mounting Centers:

Any acceptable

Operating Tempurature Range:

Not rated

Mounting Facility Quantity:

14

Voltage Rating:

50.000 volts

Material And Location:

Plastic, epoxy resin body

Input Impedance Rating:

100.000 ohms

Output Impedance Rating:

100.000 ohms

Frequency Bandwidth:

Not rated

Body Depth:

0.280 inches

Mounting Facility:

Terminal

Mounting Provision Arrangement Style:

Four position rectangular

Attenuation In Decibels:

Not rated

Signal Delay Method:

Electromechanical

Delay Time Variation Method:

Tapped

Section Delay Time:

30.000 nanoseconds single section

NSN 5999-01-078-9603 Delay Line - Page 2 of 2



Segment Quantity Per Section:
10 single section
Segment Delay Time:
3.000 nanoseconds single section all segments
Delay Time Variation Per Deg Celsius:
Not rated
Pulse Rise Time Rating:
3.0 nanoseconds
Terminal Type And Quantity:
14 pin
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
Yes - demil/mli
Fiig:
A32100