# NSN 5999-01-089-1799

Delay Line - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-089-1799

Body Style:

Rectangular

**Frequency Rating:** 

Not rated

#### **Body Length:**

2.100 inches

#### **Body Width:**

2.000 inches

#### Individual Section Quantity:

1

#### Longest Horizontal Distance Between Mounting Centers:

Any acceptable

#### Longest Vertical Distance Between Mounting Centers:

Any acceptable

#### **Operating Tempurature Range:**

#### +0.0/+100.0 degrees celsius

#### Mounting Facility Quantity:

4

#### Voltage Rating:

15.000 volts

### Material And Location:

Plastic body

#### Input Impedance Rating:

200.000 ohms

#### **Output Impedance Rating:**

200.000 ohms

#### Frequency Bandwidth:

Not rated

#### Body Depth:

Any acceptable

#### **Mounting Facility:**

Terminal

#### Mounting Provision Arrangement Style:

Four position rectangular

#### Attenuation In Decibels:

1.000

#### Signal Delay Method:

Inductance

#### Section Delay Time:

500.000 nanoseconds single section

## Delay Time Variation Per Deg Celsius:

Not rated

# NSN 5999-01-089-1799

Delay Line - Page 2 of 2

Pulse Rise Time Rating:

20.0 nanoseconds

### Terminal Type And Quantity:

4 wire leads

Shelf Life:

N/a

## Unit Of Measure:

---

## Demilitarization:

Yes - demil/mli

Fiig:

A32100

