## NSN 5999-01-094-5664

Electronic Shielding Gasket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-094-5664
Cross Sectional Shape:
Wire and composition
Hole Diameter:
Between 0.179 inches and 0.199 inches
Overall Length:
Between 15.100 inches and 15.300 inches
Overall Width:
Between 8.380 inches and 8.420 inches
Outside Corner Radius:
0.250 inches
Aperture Width:
Between 6.130 inches and 6.170 inches
Aperture Length:
Between 13.850 inches and 13.870 inches
Center To Center Distance Between Bolt Holes Along Width:
Between 5.990 inches and 6.010 inches
Center To Center Distance Between Bolt Holes Along Length:
Between 3.240 inches and 3.260 inches
Outside Edge To Bolt Hole Center Distance Along Width:
Between 1.040 inches and 1.080 inches
Outside Edge To Bolt Hole Center Distance Along Length:
Between 1.180 inches and 1.220 inches
Cross-sectional Height:
Between 0.115 inches and 0.135 inches
Bolt Hole Quantity:
18
End Application:
5895-01-101-6243 power entry ass
Environmental Protection Material Location:
Throughout rf shielding gasket
Material:
Rubber silicone class q environmental seal
Material Specification:
Qq-n-281 federal specification single material response emi/rfi conductor
Style Designator:
Non-circular
Shelf Life:
N/a
Unit Of Measure:

No

Demilitarization:

## NSN 5999-01-094-5664

Electronic Shielding Gasket - Page 2 of 2



Fiig:

A032a0

Mil-std (military Standard):

Mil-r-5847 spec.