NSN 5999-01-104-5232

Electronic Shielding Gasket - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5999-01-104-5232

| Cross Sectional Shape: |
|--|
| Wire and composition |
| Hole Diameter: |
| 0.120 inches |
| Overall Length: |
| 0.875 inches |
| Overall Width: |
| 0.875 inches |
| Aperture Diameter: |
| 0.531 inches |
| Outside Corner Radius: |
| 0.062 inches |
| Center To Center Distance Between Bolt Holes Along Width: |
| 0.594 inches |
| Center To Center Distance Between Bolt Holes Along Length: |
| 0.594 inches |
| Outside Edge To Bolt Hole Center Distance Along Width: |
| 0.140 inches |
| Outside Edge To Bolt Hole Center Distance Along Length: |
| 0.140 inches |
| Cross-sectional Height: |
| 0.030 inches |
| Bolt Hole Quantity: |
| 4 |
| End Application: |
| Display set, e-a industrial corporation, model 2, type 2 |
| Environmental Protection Material Location: |
| Throughout rf shielding gasket |
| Material: |
| Rubber silicone class q environmental seal |
| Material Specification: |
| Zz-r-765 class 3, grade 30 federal specification single material response environmental seal |
| Style Designator: |
| Non-circular |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiia: |

A032a0