

View Online at <https://aerobasegroup.com/nsn/5999-01-106-0842>

Body Style:

Rectangular

Frequency Rating:

Not rated

Body Length:

0.760 inches

Body Width:

0.290 inches

Individual Section Quantity:

1

Longest Horizontal Distance Between Mounting Centers:

Any acceptable

Longest Vertical Distance Between Mounting Centers:

0.325 inches

Operating Temperature Range:

Not rated

Mounting Facility Quantity:

14

Voltage Rating:

25.000 volts

Material And Location:

Plastic, epoxy resin body

Input Impedance Rating:

200.000 ohms

Output Impedance Rating:

200.000 ohms

Frequency Bandwidth:

Not rated

Body Depth:

Any acceptable

Mounting Facility:

Terminal

Mounting Provision Arrangement Style:

Four position rectangular

Attenuation In Decibels:

0.500

Signal Delay Method:

Inductance

Delay Time Variation Method:

Tapped

Section Delay Time:

50.000 nanoseconds single section

Segment Quantity Per Section:

10 single section

Segment Delay Time:

5.000 nanoseconds single section all segments

Delay Time Variation Per Deg Celsius:

Not rated

Pulse Rise Time Rating:

8.5 nanoseconds

Terminal Type And Quantity:

14 pin

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A32100