

View Online at <https://aerobasegroup.com/nsn/5999-01-106-4658>

Body Style:

Rectangular

Frequency Rating:

Not rated

Body Length:

0.780 inches

Body Width:

0.260 inches

Individual Section Quantity:

1

Longest Horizontal Distance Between Mounting Centers:

Any acceptable

Longest Vertical Distance Between Mounting Centers:

0.300 inches

Operating Temperature Range:

-55.0/+105.0 degrees celsius

Voltage Rating:

100.000 volts

Material And Location:

Plastic, epoxy resin body

Input Impedance Rating:

100.000 ohms

Output Impedance Rating:

100.000 ohms

Frequency Bandwidth:

Not rated

Body Depth:

0.200 inches

Mounting Facility:

Terminal

Mounting Provision Arrangement Style:

Four position rectangular

Attenuation In Decibels:

Not rated

Signal Delay Method:

Lumped constant

Delay Time Variation Method:

Tapped

Section Delay Time:

10.000 nanoseconds single section

Segment Quantity Per Section:

10 single section

Segment Delay Time:

1.000 nanoseconds single section all segments

Delay Time Variation Per Deg Celsius:

Not rated

Pulse Rise Time Rating:

2.2 nanoseconds

Terminal Type And Quantity:

14 pin

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A32100