## NSN 5999-01-112-0492

Delay Line - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-112-0492

Body Style:

Rectangular

**Frequency Rating:** 

Not rated

### **Body Length:**

0.760 inches

#### Body Width:

0.270 inches

#### Individual Section Quantity:

1

#### **Operating Tempurature Range:**

-45.0/+110.0 degrees celsius

#### Voltage Rating:

50.000 volts

#### Material And Location:

Plastic, epoxy case err-100 err-100

#### Surface Treatment And Location:

Tin plate terminal

#### Input Impedance Rating:

100.000 ohms

#### **Output Impedance Rating:**

100.000 ohms

#### Frequency Bandwidth:

Not rated

#### **Body Depth:**

Any acceptable

#### Mounting Facility:

Pin

#### Attenuation In Decibels:

4.000

#### Signal Delay Method:

Lumped constant

#### **Delay Time Variation Method:**

Tapped

#### Section Delay Time:

5.000 nanoseconds single section

## Segment Quantity Per Section:

10 single section

#### Segment Delay Time:

5.000 nanoseconds single section all segments

## Delay Time Variation Per Deg Celsius:

Not rated

# NSN 5999-01-112-0492

Delay Line - Page 2 of 2

## Pulse Rise Time Rating:

10.0 nanoseconds

## Terminal Type And Quantity:

14 pin

Shelf Life:

N/a

## Unit Of Measure:

---

## Demilitarization:

Yes - demil/mli

Fiig:

A32100

