NSN 5999-01-113-0824

Delay Line - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-113-0824

Body Style: Rectangular, top connection **Hole Diameter:** 0.156 inches **Overall Width:** 2.175 inches Frequency Rating: Not rated **Body Length:** 2.650 inches **Body Width:** 1.700 inches **Individual Section Quantity: Operating Tempurature Range:** -15.0/+85.0 degrees celsius **Mounting Facility Quantity:** 4 **Voltage Rating:** Between 24.000 volts and 240.000 volts **Material And Location:** Any acceptable case Input Impedance Rating: Not rated **Output Impedance Rating:** Not rated Frequency Bandwidth: Not rated **Body Depth:** 0.760 inches **Mounting Facility:** Unthreaded holes **Attenuation In Decibels:** Not rated **Signal Delay Method:** Inductance **Delay Time Variation Method:** Tapped **Section Delay Time:** 1024000.000 milliseconds single section

Segment Quantity Per Section:
10 single section

NSN 5999-01-113-0824

Delay Line - Page 2 of 2



Segment Delay Time:	Se	qm	ent	Del	lav	Tin	ne:
---------------------	----	----	-----	-----	-----	-----	-----

8000.000 milliseconds single section 4th segment err-100

Delay Time Variation Per Deg Celsius:

Not rated

Pulse Rise Time Rating:

Not rated

Terminal Type And Quantity:

2 tab solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32100