## NSN 5999-01-113-7955

Delay Line - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-113-7955

# Body Style:

Rectangular

**Frequency Rating:** 

Not rated

### Body Length:

Between 0.760 inches and 0.800 inches

#### Body Width:

Between 0.285 inches and 0.315 inches

### Individual Section Quantity:

1

#### **Operating Tempurature Range:**

-55.0/+125.0 degrees celsius

#### Inclosure Type:

Encased

#### Mounting Facility Quantity:

14

## Voltage Rating:

Not rated

#### Material And Location:

Plastic body

## Input Impedance Rating:

100.000 ohms

#### **Output Impedance Rating:**

100.000 ohms

#### Frequency Bandwidth:

Not rated

### Body Depth:

Between 0.192 inches and 0.222 inches

#### **Mounting Facility:**

Terminal

#### Attenuation In Decibels:

1.000

## Signal Delay Method:

Inductance

## **Delay Time Variation Method:**

Tapped

## Section Delay Time:

200.000 nanoseconds single section

## Segment Quantity Per Section:

10 single section

## Segment Delay Time:

95.000 nanoseconds single section 3rd segment err-100 and 105.000 nanoseconds single section 3rd segment err-100

# NSN 5999-01-113-7955

Delay Line - Page 2 of 2



Delay Time Variation Per Deg Celsius:

Not rated

Pulse Rise Time Rating:

5.0 nanoseconds

Terminal Type And Quantity:

14 pin

Shelf Life:

N/a

Unit Of Measure:

---

#### Demilitarization:

Yes - demil/mli

Fiig:

A32100