NSN 5999-01-116-5753



Delay Line - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5999-01-116-5753 **Body Style:** Rectangular **Body Length:** 2.000 inches **Body Width:** 1.060 inches **Individual Section Quantity: Longest Horizontal Distance Between Mounting Centers:** 1.800 inches **Longest Vertical Distance Between Mounting Centers:** 0.500 inches **Operating Tempurature Range:** +0.0/+70.0 degrees celsius **Inclosure Type:** Encased **Mounting Facility Quantity: Voltage Rating:** 1.500 volts **Material And Location:** Any acceptable body **Surface Treatment And Location:** Any acceptable body Input Impedance Rating: 100.000 ohms **Output Impedance Rating:** 100.000 ohms **Body Depth:** 0.500 inches **Mounting Facility: Terminal Mounting Provision Arrangement Style:**

Four position rectangular **Signal Delay Method:** Inductance **Delay Time Variation Method:** Variable **Section Delay Time:** 50.000 nanoseconds single section **Pulse Rise Time Rating:** 3.0 nanoseconds

NSN 5999-01-116-5753

Delay Line - Page 2 of 2



i ei ii ii iai Tybe And Quantity.	Tε	rminal	Type	And	Quantity:	
-----------------------------------	----	--------	------	-----	-----------	--

4 wire leads

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32100