

NSN 5999-01-119-2954 Delay Line - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5999-01-119-2954 **Body Style:** Rectangular, front connection **Overall Depth:** Any acceptable Frequency Rating: Not rated **Body Length:** 0.900 inches **Body Width:** 0.280 inches **Individual Section Quantity: Operating Tempurature Range:** -55.0/+125.0 degrees celsius Voltage Rating: 50.000 volts Input Impedance Rating: 100.000 ohms **Output Impedance Rating:** 100.000 ohms Frequency Bandwidth: Not rated **Body Depth:** 

0.280 inches

**Mounting Facility:** 

Pin

**Attenuation In Decibels:** 

Not rated

**Signal Delay Method:** 

Inductance

**Delay Time Variation Method:** 

Tapped

**Section Delay Time:** 

30.000 nanoseconds single section

**Segment Quantity Per Section:** 

10 single section

**Segment Delay Time:** 

3.000 nanoseconds single section all segments

**Delay Time Variation Per Deg Celsius:** 

Not rated

**Pulse Rise Time Rating:** 

6.0 nanoseconds

## NSN 5999-01-119-2954

Delay Line - Page 2 of 2



ī	ermina	ı	Type	Δnd	Qua	antity.
ı	CHILLING	41	INDE	Allu	wu	aiititv.

16 pin

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A32100