NSN 5999-01-125-6411

Electrical Contact - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-125-6411 **Overall Length:** 0.518 inches **Overall Diameter:** 0.062 inches **Cable Entrance Diameter:** 0.0345 inches Pin Accommodation Length: 0.166 inches **Pin Accommodation Diameter:** 0.034 inches **Mounting Method: Terminal** Material: Copper alloy body and contact **Material Specification:** Qq-b-626 federal specification single material response body and contact or qq-m-321 federal specification single material response body and contact or qq-b-750 federal specification single material response body and contact or qq-c-530 federal specification single material response body and contact or qq-c-533 federal specification single material response body and contact **Precious Material And Location:** Body and contact surfaces gold **Precious Material And Weight:** 0.005 gold grains, troy **Precious Material:** Gold **Surface Treatment:** Gold body and contact **Surface Treatment Specification:** Mil-g-45204, type 2, class 2, grade c military specification single treatment response body and contact Style Designator: Center contact **Test Data Document:** 81349-mil-c-55302 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Terminal Type And Quantity:** 1 crimp axially at one end **Specification Data:** 81349-mil-c-55302/65 government specification Shelf Life: N/a

No

Unit Of Measure:

Demilitarization:

NSN 5999-01-125-6411

Electrical Contact - Page 2 of 2



Mil-std (military Standard):

Mil-g-45204 spec.