NSN 5999-01-131-8098

Delay Line - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-131-8098

Body Style:
Rectangular
Body Length:
1.270 inches
Body Width:
0.580 inches
Individual Section Quantity:
1
Operating Tempurature Range:
-55.0/+125.0 degrees celsius
Mounting Facility Quantity:
24
Voltage Rating:
50.000 volts
Material And Location:
Plastic, epoxy body
Input Impedance Rating:
100.000 ohms
Output Impedance Rating:
7.000 ohms
Body Depth:
0.280 inches
Mounting Facility:
Pin
Signal Delay Method:
Lumped constant
Delay Time Variation Method:
Tapped
Section Delay Time:
100.000 nanoseconds single section
Segment Quantity Per Section:
20 single section
Segment Delay Time:
5.000 nanoseconds single section all segments
Delay Time Variation Per Deg Celsius:
5.000 nanoseconds
Pulse Rise Time Rating:
10.0 nanoseconds
Terminal Type And Quantity:
24 pin
Test Data Document:
81349-mil-d-23859 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain

environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

NSN 5999-01-131-8098

Delay Line - Page 2 of 2



	Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A32100