

View Online at <https://aerobasegroup.com/nsn/5999-01-132-0156>

Cross Sectional Shape:

Emi

Hole Diameter:

Between 0.115 inches and 0.145 inches

Overall Length:

Between 0.928 inches and 0.948 inches

Overall Width:

Between 0.928 inches and 0.948 inches

Aperture Diameter:

Between 0.615 inches and 0.635 inches

Outside Corner Radius:

Between 0.115 inches and 0.145 inches

Center To Center Distance Between Bolt Holes Along Width:

Between 0.709 inches and 0.729 inches

Center To Center Distance Between Bolt Holes Along Length:

Between 0.709 inches and 0.729 inches

Outside Edge To Bolt Hole Center Distance Along Width:

Between 0.098 inches and 0.118 inches

Outside Edge To Bolt Hole Center Distance Along Length:

Between 0.098 inches and 0.118 inches

Cross-sectional Height:

Between 0.025 inches and 0.035 inches

Bolt Hole Quantity:

4

Environmental Protection Material Location:

Throughout rf shielding gasket

Material:

Silver emi/rfi conductor

Material Specification:

Zz-r-765, class 2, grade 30 federal specification single material response environmental seal

Precious Material And Location:

Emi/rfi conductive particles silver

Precious Material:

Silver

Style Designator:

Non-circular

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A032a0