## NSN 5999-01-132-0156

Electronic Shielding Gasket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-132-0156

view Online at https://aerobasegroup.com/nsn/5999-01-132-0156
Cross Sectional Shape:
Emi
Hole Diameter:
Between 0.115 inches and 0.145 inches
Overall Length:
Between 0.928 inches and 0.948 inches
Overall Width:
Between 0.928 inches and 0.948 inches
Aperture Diameter:
Between 0.615 inches and 0.635 inches
Outside Corner Radius:
Between 0.115 inches and 0.145 inches
Center To Center Distance Between Bolt Holes Along Width:
Between 0.709 inches and 0.729 inches
Center To Center Distance Between Bolt Holes Along Length:
Between 0.709 inches and 0.729 inches
Outside Edge To Bolt Hole Center Distance Along Width:
Between 0.098 inches and 0.118 inches
Outside Edge To Bolt Hole Center Distance Along Length:
Between 0.098 inches and 0.118 inches
Cross-sectional Height:
Between 0.025 inches and 0.035 inches
Bolt Hole Quantity:
4
Environmental Protection Material Location:
Throughout rf shielding gasket
Material:
Silver emi/rfi conductor
Material Specification:
Zz-r-765, class 2, grade 30 federal specification single material response environmental seal
Precious Material And Location:
Emi/rfi conductive particles silver
Precious Material:
Silver
Style Designator:
Non-circular
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No

No

## NSN 5999-01-132-0156

Electronic Shielding Gasket - Page 2 of 2



Fiig:

A032a0