NSN 5999-01-138-1644



Delay Line - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5999-01-138-1644 **Body Style:** Rectangular Frequency Rating: Not rated **Body Length:** Between 0.740 inches and 0.780 inches **Body Width:** 0.300 inches **Individual Section Quantity: Operating Tempurature Range:** -55.0/+125.0 degrees celsius **Mounting Facility Quantity: Voltage Rating:** Not rated **Material And Location:** Copper-nickel terminal **Surface Treatment And Location:** Tin plated, mil-t-10727, type 1 terminal Input Impedance Rating: Not rated **Output Impedance Rating:** Not rated Frequency Bandwidth: Not rated **Body Depth:** 0.187 inches **Mounting Facility: Terminal Attenuation In Decibels:** Not rated **Signal Delay Method:** Lumped constant **Section Delay Time:** 200.000 nanoseconds single section **Delay Time Variation Per Deg Celsius:** Not rated **Pulse Rise Time Rating:**

40.0 nanoseconds

Terminal Type And Quantity:

14 pin

NSN 5999-01-138-1644

Delay Line - Page 2 of 2



Test Data Document:

81349-mil-d-23859/23 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A32100