NSN 5999-01-146-7586



Delay Line - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5999-01-146-7586 **Body Style:** Rectangular **Hole Diameter:** 0.120 inches Frequency Rating: Between 600.000 hertz and 625.000 hertz **Body Length:** 4.540 inches **Body Width:** 0.625 inches **Individual Section Quantity: Longest Horizontal Distance Between Mounting Centers:** 3.190 inches **Longest Vertical Distance Between Mounting Centers:** 0.425 inches **Operating Tempurature Range:** +0.0/+55.0 degrees fahrenheit **Mounting Facility Quantity: Material And Location:** Any acceptable case **Surface Treatment And Location:** Any acceptable case Input Impedance Rating: 50.000 ohms **Output Impedance Rating:** 50.000 ohms Frequency Bandwidth: 25.0 hertz **Body Depth:** 0.500 inches **Mounting Facility:** Unthreaded hole **Mounting Provision Arrangement Style:** Four position rectangular **Signal Delay Method:**

Lumped constant

Delay Time Variation Method:

Variable

Section Delay Time:

8.000 microseconds single section

NSN 5999-01-146-7586

Delay Line - Page 2 of 2



Terminal Type Ar	nd Quantity:
------------------	--------------

2 coaxial receptacle

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32100