## NSN 5999-01-154-2542



Delay Line - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5999-01-154-2542 **Body Style:** Rectangular **Body Length:** 0.800 inches **Body Width:** 0.500 inches **Individual Section Quantity: Longest Horizontal Distance Between Mounting Centers:** 0.600 inches **Longest Vertical Distance Between Mounting Centers:** 0.300 inches **Operating Tempurature Range:** -55.0/+125.0 degrees celsius **Inclosure Type:** Encased **Mounting Facility Quantity:** 14 **Voltage Rating:** 5.000 volts **Material And Location:** Plastic, epoxy resin case **Surface Treatment And Location:** Any acceptable case **Body Depth:** 0.165 inches **Mounting Facility:** Terminal **Mounting Provision Arrangement Style:** Four position rectangular **Signal Delay Method:** Lumped constant **Delay Time Variation Method:** Tapped **Section Delay Time:** 25.000 nanoseconds single section **Segment Quantity Per Section:** 5 single section **Segment Delay Time:** 5.000 nanoseconds single section all segments

14 pin

**Terminal Type And Quantity:** 

## NSN 5999-01-154-2542

Delay Line - Page 2 of 2



Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A32100