

View Online at <https://aerobasegroup.com/nsn/5999-01-160-6524>

Body Style:

Rectangular

Frequency Rating:

Not rated

Body Length:

1.000 inches

Body Width:

0.565 inches

Individual Section Quantity:

2

Operating Temperature Range:

-55.0/+125.0 degrees celsius

Mounting Facility Quantity:

10

Voltage Rating:

3.000 volts

Material And Location:

Plastic, mil-m-14, type sgd-f case

Surface Treatment And Location:

Tin plate, mil-t-10727, type 1 or 2 terminal

Input Impedance Rating:

200.000 ohms

Output Impedance Rating:

200.000 ohms

Frequency Bandwidth:

Not rated

Body Depth:

0.300 inches

Mounting Facility:

Terminal, wire-lead

Attenuation In Decibels:

1.500

Signal Delay Method:

Lumped constant

Section Delay Time:

900.000 nanoseconds all sections

Segment Quantity Per Section:

3 all sections

Segment Delay Time:

350.000 nanoseconds all sections 3rd segment err-100

Delay Time Variation Per Deg Celsius:

Not rated

Pulse Rise Time Rating:

50.0 nanoseconds

Terminal Type And Quantity:

10 pin

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A32100