## NSN 5999-01-165-5428

Delay Line - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-165-5428 **Body Style:** Rectangular **Body Length:** 0.825 inches **Body Width:** 0.400 inches **Individual Section Quantity: Longest Horizontal Distance Between Mounting Centers:** 0.600 inches **Longest Vertical Distance Between Mounting Centers:** 0.300 inches **Operating Tempurature Range:** -55.0/+125.0 degrees celsius **Inclosure Type:** Hermetically sealed **Mounting Facility Quantity:** 4 **Voltage Rating:** Between 4.750 volts and 5.250 volts **Material And Location:** Ceramic case **Body Depth:** 0.325 inches **Mounting Facility: Terminal Mounting Provision Arrangement Style:** Four position rectangular Signal Delay Method: Lumped constant **Delay Time Variation Method:** Variable **Section Delay Time:** 30.000 nanoseconds single section **Pulse Rise Time Rating:** 4.0 nanoseconds **Terminal Type And Quantity:** 4 pin Shelf Life:

N/a

**Unit Of Measure:** 

## NSN 5999-01-165-5428

Delay Line - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A32100