NSN 5999-01-166-2994



Delay Line - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5999-01-166-2994 **Body Style:** Round w/round base **Overall Depth:** 0.515 inches Flange Diameter: 0.500 inches **Body Diameter:** 0.450 inches **Individual Section Quantity: Longest Horizontal Distance Between Mounting Centers:** 0.225 inches **Shortest Horizontal Distance Between Mounting Centers:** 0.112 inches **Longest Vertical Distance Between Mounting Centers:** 0.225 inches **Operating Tempurature Range:** -55.0/+71.0 degrees celsius **Mounting Facility Quantity:** Input Impedance Rating: 50.000 ohms **Output Impedance Rating:** 50.000 ohms **Body Depth:** 0.265 inches **Mounting Facility: Mounting Provision Arrangement Style:** Isosceles triangle **Signal Delay Method:** Lumped constant **Delay Time Variation Method:** Tapped **Pulse Rise Time Rating:** 6.0 milliseconds **Terminal Type And Quantity:** 3 pin Shelf Life:

--

N/a

Unit Of Measure:

NSN 5999-01-166-2994

Delay Line - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A32100