NSN 5999-01-166-5614

Delay Line - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-166-5614 **Body Style:** Rectangular **Body Length:** 0.725 inches **Body Width:** 0.290 inches **Individual Section Quantity: Operating Tempurature Range:** -45.0/+125.0 degrees celsius **Mounting Facility Quantity:** 14 **Voltage Rating:** 25.000 volts **Material And Location:** Copper terminal Input Impedance Rating: 2.000 ohms **Output Impedance Rating:** 2.000 ohms **Body Depth:** 0.225 inches **Mounting Facility: Terminal Attenuation In Decibels:** 0.500 **Signal Delay Method:** Lumped constant **Section Delay Time:** 28.000 nanoseconds single section and 31.500 nanoseconds single section **Segment Quantity Per Section:** 10 single section **Segment Delay Time:** 2.800 nanoseconds single section all segments and 3.150 nanoseconds single section all segments **Pulse Rise Time Rating:** 5.5 nanoseconds **Terminal Type And Quantity:** 14 pin Shelf Life: N/a

Unit Of Measure:

NSN 5999-01-166-5614

Delay Line - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A32100