## NSN 5999-01-166-5614

Delay Line - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-166-5614

**Body Style:** 

Rectangular

**Body Length:** 

0.725 inches

Body Width:

0.290 inches

Individual Section Quantity:

1

**Operating Tempurature Range:** 

-45.0/+125.0 degrees celsius

**Mounting Facility Quantity:** 

14

Voltage Rating:

25.000 volts

Material And Location:

#### Copper terminal

Input Impedance Rating:

2.000 ohms

**Output Impedance Rating:** 

2.000 ohms

#### Body Depth:

0.225 inches

#### Mounting Facility:

Terminal

#### Attenuation In Decibels:

0.500

#### Signal Delay Method:

Lumped constant

#### Section Delay Time:

28.000 nanoseconds single section and 31.500 nanoseconds single section

#### Segment Quantity Per Section:

10 single section

#### Segment Delay Time:

2.800 nanoseconds single section all segments and 3.150 nanoseconds single section all segments

#### Pulse Rise Time Rating:

5.5 nanoseconds

#### **Terminal Type And Quantity:**

14 pin

Shelf Life:

N/a

#### Unit Of Measure:

---

# NSN 5999-01-166-5614

Delay Line - Page 2 of 2

### Demilitarization:

Yes - demil/mli

Fiig:

A32100

