Electronic Shielding Gasket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-170-3766

	Shape:
Mesh and compos	ition
Hole Diameter:	
	thes and 0.249 inches
Overall Length:	
	iches and 15.320 inches
Overall Width:	
	thes and 8.200 inches
Minor Width:	
	ches and 0.135 inches
Aperture Width:	
Between 14.150 i	nches and 14.170 inches
Aperture Length	
Between 7.090 in	hes and 7.110 inches
Center To Cente	Distance Between Bolt Holes Along Width:
Between 3.865 in	thes and 3.885 inches
Outside Edge To	Bolt Hole Center Distance Along Width:
0.250 inches	
Outside Edge To	Bolt Hole Center Distance Along Length:
0.250 inches	
Cross-sectional	leight:
Between 0.146 in	thes and 0.166 inches
Minor Height:	
Between 0.115 in	thes and 0.135 inches
Bolt Hole Quanti	y:
12	
Environmental P	rotection Material Location:
Throughout rf shie	lding gasket
Material:	
Steel emi/rfi cond	ictor
Material Specific	ation:
Zz-r-765, class 2t	, grade 40 federal specification single material response environmental seal
Surface Treatme	nt:
Tin emi/rfi conduc	or and copper emi/rfi conductor
Surface Treatme	nt Specification:
Vil-w-3861 militar	v specification 1st treatment response environmental seal and astm-b-227 assn standard 2nd treatment response
environmental sea	1
Shelf Life:	
N/a	
Unit Of Measure	
-	
Demilitarization:	

NSN 5999-01-170-3766

Electronic Shielding Gasket - Page 2 of 2



Fiig: A032a0

Mil-std (military Standard):

Mil-w-3861 spec.