

View Online at <https://aerobasegroup.com/nsn/5999-01-174-3182>

**Body Style:**

Rectangular

**Frequency Rating:**

Not rated

**Body Length:**

0.780 inches

**Body Width:**

0.460 inches

**Individual Section Quantity:**

1

**Longest Horizontal Distance Between Mounting Centers:**

0.600 inches

**Shortest Horizontal Distance Between Mounting Centers:**

0.200 inches

**Intermediate Horizontal Distance Between Mounting Centers:**

Any acceptable

**Longest Vertical Distance Between Mounting Centers:**

0.300 inches

**Operating Temperature Range:**

-55.0/+105.0 degrees celsius

**Mounting Facility Quantity:**

4

**Voltage Rating:**

Not rated

**Input Impedance Rating:**

250.000 ohms

**Output Impedance Rating:**

250.000 ohms

**Frequency Bandwidth:**

60000.0 kilohertz

**Body Depth:**

0.250 inches

**Mounting Facility:**

Terminal

**Mounting Provision Arrangement Style:**

Four position off-set

**Attenuation In Decibels:**

Not rated

**Signal Delay Method:**

Lumped constant

**Delay Time Variation Method:**

Variable

**Section Delay Time:**

30.000 nanoseconds single section

**Delay Time Variation Per Deg Celsius:**

Not rated

**Pulse Rise Time Rating:**

6.0 nanoseconds

**Terminal Type And Quantity:**

4 pin

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A32100