## NSN 5999-01-176-1759



Delay Line - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5999-01-176-1759 **Body Style:** Rectangular **Body Length:** 0.780 inches **Body Width:** 0.460 inches **Individual Section Quantity: Longest Horizontal Distance Between Mounting Centers:** 0.600 inches **Operating Tempurature Range:** -55.0/+105.0 degrees celsius **Mounting Facility Quantity:** 4 **Material And Location:** Any acceptable **Surface Treatment And Location:** Any acceptable Input Impedance Rating: 300.000 ohms **Output Impedance Rating:** 300.000 ohms Frequency Bandwidth: 45000.0 hertz **Body Depth:** 0.250 inches **Mounting Facility: Mounting Provision Arrangement Style:** 2 position in-line **Attenuation In Decibels:** 8.000 **Signal Delay Method:** Lumped constant **Section Delay Time:** 40.000 nanoseconds single section **Pulse Rise Time Rating:** 8.0 nanoseconds **Terminal Type And Quantity:** 4 pin

Shelf Life: N/a

## NSN 5999-01-176-1759

Delay Line - Page 2 of 2



**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A32100