## NSN 5999-01-179-8659

Electronic Shielding Gasket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-179-8659

Cross Sectional Shape:
Metal and synthetic rubber
Hole Diameter:
0.140 inches
Overall Length:
Between 3.331 inches and 3.340 inches
Overall Width:
Between 2.810 inches and 2.840 inches
Inside Corner Radius:
0.120 inches
Outside Corner Radius:
0.120 inches
Aperture Width:
2.200 inches
Aperture Length:
2.700 inches
Center To Center Distance Between Bolt Holes Along Width:
2.562 inches
Outside Edge To Bolt Hole Center Distance Along Width:
Between 0.130 inches and 0.140 inches
Outside Edge To Bolt Hole Center Distance Along Length:
Between 0.130 inches and 0.140 inches
Cross-sectional Thickness:
Between 0.050 inches and 0.065 inches
Bolt Hole Quantity:
4
Environmental Protection Material Location:
Throughout rf shielding gasket
Outside Edge To Inside Edge Smallest Distance Along Width:
0.320 inches
Outside Edge To Inside Edge Smallest Distance Along Length:
0.220 inches
Material:
Rubber silicone class q environmental seal
Material Specification:
Qq-n-281 federal specification single material response emi/rfi conductor
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No

## NSN 5999-01-179-8659

Electronic Shielding Gasket - Page 2 of 2



Fiig:

A032a0

Mil-std (military Standard):

Mil-r-5847 spec.