NSN 5999-01-193-5774



Delay Line - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5999-01-193-5774 **Body Style:** Rectangular **Body Length:** 1.110 inches **Body Width:** 0.310 inches **Individual Section Quantity: Longest Horizontal Distance Between Mounting Centers:** 1.000 inches **Longest Vertical Distance Between Mounting Centers:** 0.900 inches **Operating Tempurature Range:** -55.0/+125.0 degrees celsius **Mounting Facility Quantity: Voltage Rating:** 50.000 volts **Material And Location:** Plastic, epoxy resin case **Surface Treatment And Location:** Tin plated case Input Impedance Rating: 100.000 ohms **Output Impedance Rating:** 100.000 ohms **Body Depth:** 0.210 inches **Mounting Facility:** Pin **Mounting Provision Arrangement Style:** Four position rectangular **Attenuation In Decibels:** 1.000 **Signal Delay Method:** Lumped constant **Section Delay Time:** 150.000 nanoseconds single section **Pulse Rise Time Rating:**

Terminal Type And Quantity: 3 pin

22.000 nanoseconds

NSN 5999-01-193-5774

Delay Line - Page 2 of 2



Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32100