NSN 5999-01-201-2450

Delay Line - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-201-2450 **Body Style:** Rectangular **Body Length:** 0.810 inches **Body Width:** 0.510 inches **Individual Section Quantity: Longest Horizontal Distance Between Mounting Centers:** 0.600 inches **Longest Vertical Distance Between Mounting Centers:** 0.300 inches **Operating Tempurature Range:** -55.0/+125.0 degrees celsius **Mounting Facility Quantity:** 14 **Material And Location:** Plastic, epoxy case **Body Depth:** 0.165 inches **Mounting Facility: Terminal Mounting Provision Arrangement Style:** Four position rectangular **Signal Delay Method:** Lumped constant **Delay Time Variation Method:** Tapped **Section Delay Time:** 150.000 nanoseconds single section **Segment Quantity Per Section:** 5 single section **Segment Delay Time:** 30.000 nanoseconds single section all segments **Pulse Rise Time Rating:** 4.0 nanoseconds **Terminal Type And Quantity:** 14 pin Shelf Life:

N/a

Unit Of Measure:

NSN 5999-01-201-2450

Delay Line - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A32100