NSN 5999-01-213-8656

Delay Line - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-213-8656

Body Style:

Rectangular

Frequency Rating:

Not rated

Body Length:

0.800 inches

Body Width:

0.400 inches

Individual Section Quantity:

1

Longest Horizontal Distance Between Mounting Centers:

0.700 inches

Longest Vertical Distance Between Mounting Centers:

0.300 inches

Operating Tempurature Range:

-55.0 to 125.0 degrees celsius

Voltage Rating:

Not rated

Input Impedance Rating:

50.000 ohms

Output Impedance Rating:

50.000 ohms

Frequency Bandwidth:

Not rated

Body Depth:

0.320 inches

Mounting Facility:

Pin

Mounting Provision Arrangement Style:

Four position rectangular

Attenuation In Decibels:

Not rated

Signal Delay Method:

Lumped constant

Delay Time Variation Method:

Tapped

Section Delay Time:

300.000 nanoseconds single section

Delay Time Variation Per Deg Celsius:

0.030 nanoseconds

Pulse Rise Time Rating:

4.0 nanoseconds

NSN 5999-01-213-8656

Delay Line - Page 2 of 2

Terminal Type And Quantity:

8 pin

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A32100

