NSN 5999-01-214-0903



Delay Line - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5999-01-214-0903 **Body Style:** Rectangular Frequency Rating: Not rated **Body Length:** 0.800 inches **Body Width:** 0.400 inches **Individual Section Quantity: Longest Horizontal Distance Between Mounting Centers:** 0.600 inches **Longest Vertical Distance Between Mounting Centers:** 0.300 inches **Operating Tempurature Range:** -55.0 to 125.0 degrees celsius **Voltage Rating:** 500.000 volts Input Impedance Rating: 200.000 ohms **Output Impedance Rating:** 200.000 ohms Frequency Bandwidth: Not rated **Body Depth:** 0.260 inches **Mounting Facility:** Pin **Mounting Provision Arrangement Style:**

Four position rectangular **Attenuation In Decibels:** Not rated **Signal Delay Method:** Lumped constant **Delay Time Variation Method: Tapped Section Delay Time:** 200.000 nanoseconds single section **Delay Time Variation Per Deg Celsius:** Not rated **Pulse Rise Time Rating:** Not rated

NSN 5999-01-214-0903

Delay Line - Page 2 of 2



Termina	I Type	And C	Quantity:
ı Cı illili	IIVDE	Allu V	zuannıv.

14 pin

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32100