NSN 5999-01-217-1588

Delay Line - Page 1 of 2

Body Style: Rectangular

Not rated **Body Length:**1.270 inches **Body Width:**0.580 inches

Frequency Rating:



View Online at https://aerobasegroup.com/nsn/5999-01-217-1588

Individual Section Quantity:
1
Operating Tempurature Range:
-55.0 to 125.0 degrees celsius
Inclosure Type:
Hermetically sealed
Mounting Facility Quantity:
24
Voltage Rating:
50.000 volts
Input Impedance Rating:
500.000 ohms
Output Impedance Rating:
500.000 ohms
Frequency Bandwidth:
Not rated
Body Depth:
0.280 inches
Mounting Facility:
Terminal
Attenuation In Decibels:
Not rated
Signal Delay Method:
Inductance
Delay Time Variation Method:
Tapped
Section Delay Time:
2000.000 nanoseconds single section
Segment Quantity Per Section:
200 single section
Segment Delay Time:
100.000 nanoseconds single section all segments
Delay Time Variation Per Deg Celsius:
Not rated

NSN 5999-01-217-1588

Delay Line - Page 2 of 2



200.0 nanoseconds

Terminal Type And Quantity:

24 tab solder lug

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32100