## NSN 5999-01-217-1747

Delay Line - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-217-1747

Body Style:

Rectangular

Body Length:

0.800 inches

#### Body Width:

0.425 inches

### Individual Section Quantity:

1

#### Longest Horizontal Distance Between Mounting Centers:

0.600 inches

#### Longest Vertical Distance Between Mounting Centers:

0.300 inches

#### **Operating Tempurature Range:**

-55.0 to 125.0 degrees celsius

#### Inclosure Type:

#### Hermetically sealed

#### **Mounting Facility Quantity:**

14

## Voltage Rating:

Between 4.500 volts and 5.500 volts

#### Material And Location:

Metal case and ceramic body

#### **Body Depth:**

0.270 inches

#### **Mounting Facility:**

Pin

#### Mounting Provision Arrangement Style:

Four position rectangular

### Signal Delay Method:

Lumped constant

#### **Delay Time Variation Method:**

Tapped

## Section Delay Time:

92.000 nanoseconds single section

## Pulse Rise Time Rating:

4.0 nanoseconds

## Terminal Type And Quantity:

14 pin

#### Shelf Life:

N/a

#### Unit Of Measure:

--

# NSN 5999-01-217-1747

Delay Line - Page 2 of 2

## Demilitarization:

Yes - demil/mli

Fiig:

A32100

