## NSN 5999-01-224-1194



Delay Line - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5999-01-224-1194 **Body Style:** Rectangular **Body Length:** 0.800 inches **Body Width:** 0.400 inches **Individual Section Quantity: Longest Horizontal Distance Between Mounting Centers:** 0.800 inches **Longest Vertical Distance Between Mounting Centers:** 0.300 inches **Operating Tempurature Range:** -55.0 to 125.0 degrees celsius **Mounting Facility Quantity: Voltage Rating:** 5.000 volts **Material And Location:** Ceramic case **Body Depth:** 0.375 inches **Mounting Facility:** Pin **Mounting Provision Arrangement Style:** Four position rectangular **Signal Delay Method:** Lumped constant **Delay Time Variation Method: Tapped Section Delay Time:** 125.000 nanoseconds single section **Segment Quantity Per Section:** 5 single section **Segment Delay Time:** 25.000 nanoseconds single section all segments **Terminal Type And Quantity:** 8 pin Shelf Life:

\_\_

N/a

**Unit Of Measure:** 

## NSN 5999-01-224-1194

Delay Line - Page 2 of 2



Demilitarization:

Yes - demil/mli

Fiig:

A32100