## NSN 5999-01-230-2889

Electronic Shielding Gasket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-230-2889

| Cross Sectional Shape:  |
|---|
| Emi   |
| Hole Diameter:  |
| 0.172 inches  |
| Overall Length:   |
| 1.625 inches  |
| Tempurature Rating:   |
| -55.0 degrees celsius and 160.0 degrees celsius   |
| Overall Width:  |
| 1.625 inches  |
| Aperture Diameter:  |
| 1.375 inches  |
| Outside Corner Radius:  |
| 0.160 inches  |
| Center To Center Distance Between Bolt Holes Along Width:                                     |
| 1.250 inches  |
| Center To Center Distance Between Bolt Holes Along Length:                                    |
| 1.250 inches  |
| Outside Edge To Bolt Hole Center Distance Along Width:  |
| 0.125 inches  |
| Outside Edge To Bolt Hole Center Distance Along Length:                                       |
| 0.125 inches  |
| Cross-sectional Height:   |
| 0.032 inches  |
| Bolt Hole Quantity:   |
| 4   |
| Environmental Protection Material Location:   |
| Throughout rf shielding gasket  |
| Material:   |
| Silver emi/rfi conductor  |
| Material Specification:   |
| Zz-r-765, class 2, grade 40 federal specification single material response environmental seal |
| Precious Material And Location:   |
| Throughout rf shielding gasket silver   |
| Precious Material:  |
| Silver  |
| Style Designator:   |
| Non-circular  |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
|   |

--

## NSN 5999-01-230-2889

Electronic Shielding Gasket - Page 2 of 2



Demilitarization:

No

Fiig:

A032a0