NSN 5999-01-230-4482

Electronic Shielding Gasket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-230-4482

Cross Sectional Shape:
Metal and synthetic rubber
Hole Diameter:
Between 0.234 inches and 0.254 inches
Overall Length:
17.000 inches
Overall Width:
16.000 inches
Inside Corner Radius:
0.250 inches
Outside Corner Radius:
0.250 inches
Aperture Width:
14.500 inches
Aperture Length:
15.500 inches
Center To Center Distance Between Bolt Holes Along Width:
6.500 inches
Center To Center Distance Between Bolt Holes Along Length:
7.000 inches
Outside Edge To Bolt Hole Center Distance Along Width:
0.380 inches
Outside Edge To Bolt Hole Center Distance Along Length:
0.380 inches
Cross-sectional Thickness:
0.062 inches
Bolt Hole Quantity:
12
Environmental Protection Material Location:
Throughout rf shielding gasket
Special Features:
Four 0.500 in. Min to 0.515 in. Maximum diameter hols spaced 15.250 in. By 16.250 in. C to c
Material:
Rubber silicone class q environmental seal
Precious Material And Location:
Emi/rfi conductive particles silver
Precious Material:
Silver
Surface Treatment:
Silver emi/rfi conductor
Style Designator:

Non-circular

NSN 5999-01-230-4482

Electronic Shielding Gasket - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A032a0