## NSN 5999-01-238-7527



Delay Line - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5999-01-238-7527 **Body Style:** Rectangular **Body Length:** 1.650 inches **Body Width:** 0.350 inches **Individual Section Quantity:** 2 **Operating Tempurature Range:** -55.0/+125.0 degrees celsius Inclosure Type: Hermetically sealed **Mounting Facility Quantity:** 17 **Voltage Rating:** 7.000 volts Input Impedance Rating: 390.000 ohms **Output Impedance Rating:** 390.000 ohms **Body Depth:** 0.400 inches Step Quantity: 64 **Mounting Facility: Terminal Signal Delay Method:** Lumped constant **Delay Time Variation Method:** Programmable **Delay Time Per Step:** Between 0.475 nanoseconds and 1.575 nanoseconds **Section Delay Time:** 18.000 nanoseconds all sections and 20.000 nanoseconds all sections **Segment Quantity Per Section:** 32 all sections **Segment Delay Time:** 0.475 nanoseconds all sections all segments and 1.575 nanoseconds all sections all segments **Pulse Rise Time Rating:** 25.0 nanoseconds

Terminal Type And Quantity:

17 tab solder lug

## NSN 5999-01-238-7527

Delay Line - Page 2 of 2



-					
•	he	1+	18	Δ	•

N/a

**Unit Of Measure:** 

--

Demilitarization:

Yes - demil/mli

Fiig:

A32100