NSN 5999-01-241-8470

Electronic Shielding Gasket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-241-8470

| Cross Sectional Shape: |
|---|
| Mesh and metal |
| Hole Diameter: |
| 0.125 inches |
| Overall Length: |
| 1.687 inches |
| Overall Width: |
| 1.687 inches |
| Aperture Diameter: |
| Between 1.432 inches and 1.447 inches |
| Outside Corner Radius: |
| 0.219 inches |
| Center To Center Distance Between Bolt Holes Along Width: |
| 1.250 inches |
| Center To Center Distance Between Bolt Holes Along Length: |
| 1.250 inches |
| Outside Edge To Bolt Hole Center Distance Along Width: |
| 0.219 inches |
| Outside Edge To Bolt Hole Center Distance Along Length: |
| 0.219 inches |
| Cross Section Outside Diameter: |
| 0.045 inches |
| Cross-sectional Height: |
| 0.037 inches |
| Minor Height: |
| 0.037 inches |
| Bolt Hole Quantity: |
| 4 |
| Environmental Protection Material Location: |
| Around rf shielding gasket aperture |
| Special Features: |
| Aluminum retaining frame with grommets in each bolt for enviromental sealing; tin plating on inner rfi conductor only |
| Material: |
| Rubber silicone class q environmental seal |
| Surface Treatment: |
| Tin emi/rfi conductor |
| Style Designator: |
| Non-circular Section 1. The section |
| Shelf Life: |
| N/a |
| Unit Of Measure: |

NSN 5999-01-241-8470

Electronic Shielding Gasket - Page 2 of 2



Demilitarization:

No

Fiig:

A032a0