NSN 5999-01-249-9068

Electronic Shielding Gasket - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-249-9068
Cross Sectional Shape:
Emi
Hole Diameter:
Between 0.110 inches and 0.130 inches
Overall Length:
Between 1.138 inches and 1.154 inches
Overall Width:
Between 1.138 inches and 1.154 inches
Aperture Diameter:
Between 0.875 inches and 0.891 inches
Outside Corner Radius:
Between 0.131 inches and 0.151 inches
Center To Center Distance Between Bolt Holes Along Width:
Between 0.833 inches and 0.853 inches
Center To Center Distance Between Bolt Holes Along Length:
Between 0.833 inches and 0.853 inches
Outside Edge To Bolt Hole Center Distance Along Width:
0.151 inches
Outside Edge To Bolt Hole Center Distance Along Length:
0.151 inches
Cross-sectional Height:
Between 0.026 inches and 0.036 inches
Bolt Hole Quantity:
4
Environmental Protection Material Location:
Throughout rf shielding gasket
Material:
Rubber silicone class q environmental seal
Material Specification:
Zz-r-765 class 3, grade 30 federal specification single material response environmental seal
Style Designator:
Non-circular
Test Data Document:
81349-mil-c-28840 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Specification Data:
81349-mil-c-28840/24 government specification
Shelf Life:

No

N/a

Unit Of Measure:

Demilitarization:

NSN 5999-01-249-9068

Electronic Shielding Gasket - Page 2 of 2



Fiig:

A032a0