

View Online at <https://aerobasegroup.com/nsn/5999-01-252-8812>

Body Style:

Rectangular

Adjustment Device Quantity:

1

Adjustment Device Drive Type:

Slotted screw

Body Length:

1.310 inches

Body Width:

0.500 inches

Individual Section Quantity:

1

Longest Horizontal Distance Between Mounting Centers:

1.000 inches

Longest Vertical Distance Between Mounting Centers:

0.300 inches

Operating Temperature Range:

+0.0/+70.0 degrees celsius

Inclosure Type:

Encased

Mounting Facility Quantity:

4

Voltage Rating:

50.000 volts

Material And Location:

Fiberglass, epoxy case

Input Impedance Rating:

100.000 ohms

Output Impedance Rating:

100.000 ohms

Body Depth:

0.312 inches

Mounting Facility:

Pin

Mounting Provision Arrangement Style:

Four position rectangular

Signal Delay Method:

Inductance

Delay Time Variation Method:

Variable

Section Delay Time:

30.000 nanoseconds single section

Pulse Rise Time Rating:

6.0 nanoseconds

Terminal Type And Quantity:

4 pin

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A32100