

View Online at <https://aerobasegroup.com/nsn/5999-01-254-2222>

Body Style:

Rectangular, front connection

Overall Depth:

Any acceptable

Frequency Rating:

Not rated

Body Length:

0.800 inches

Body Width:

0.450 inches

Individual Section Quantity:

1

Longest Horizontal Distance Between Mounting Centers:

0.600 inches

Longest Vertical Distance Between Mounting Centers:

0.400 inches

Operating Temperature Range:

-55.0/+125.0 degrees celsius

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

14

Voltage Rating:

Between 4.500 volts and 5.500 volts

Material And Location:

Plastic, epoxy case

Input Impedance Rating:

Not rated

Output Impedance Rating:

Not rated

Frequency Bandwidth:

Not rated

Body Depth:

0.300 inches

Mounting Facility:

Terminal

Mounting Provision Arrangement Style:

Four position rectangular

Attenuation In Decibels:

Not rated

Signal Delay Method:

Solid state

Delay Time Variation Method:

Tapped

Section Delay Time:

45.000 nanoseconds single section

Segment Quantity Per Section:

9 single section

Segment Delay Time:

5.000 nanoseconds single section all segments

Delay Time Variation Per Deg Celsius:

Not rated

Pulse Rise Time Rating:

4.0 nanoseconds

Terminal Type And Quantity:

14 pin

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A32100