NSN 5999-01-254-9277

Delay Line - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-254-9277

Body Style:

Rectangular

Body Length:

0.800 inches

Body Width:

0.450 inches

Individual Section Quantity:

1

Longest Horizontal Distance Between Mounting Centers:

0.600 inches

Longest Vertical Distance Between Mounting Centers:

0.400 inches

Operating Tempurature Range:

-55.0/+125.0 degrees celsius

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

14

Voltage Rating:

Between 4.500 volts and 5.500 volts

Material And Location:

Plastic, epoxy case

Body Depth:

0.300 inches

Mounting Facility:

Terminal

Mounting Provision Arrangement Style:

Four position rectangular

Signal Delay Method:

Solid state

Delay Time Variation Method:

Tapped

Section Delay Time:

500.000 nanoseconds single section

Segment Quantity Per Section:

10 single section

Segment Delay Time:

50.000 nanoseconds single section all segments

Pulse Rise Time Rating:

4.0 nanoseconds

Terminal Type And Quantity:

14 pin

NSN 5999-01-254-9277

Delay Line - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

Yes - demil/mli

Fiig:

A32100

