NSN 5999-01-260-3887



01-260-3887

| Delay Line - Page 1 of 2 | |
|---|---|
| View Online at https://aerobasegroup.com/nsn/5999-01-260- | 3 |
| Body Style: | |
| Rectangular | |
| Hole Diameter: | |
| 0.120 inches | |
| Frequency Rating: | |
| 2.250 gigahertz | |
| Body Length: | |
| 3.120 inches | |
| Body Width: | |
| 0.624 inches | |
| Individual Section Quantity: | |
| 1 | |
| Longest Horizontal Distance Between Mounting Centers: | |
| 2.520 inches | |
| Longest Vertical Distance Between Mounting Centers: | |
| 0.425 inches | |
| Operating Tempurature Range: | |
| -54.0/+71.0 degrees celsius | |
| Inclosure Type: | |
| Encased | |
| Mounting Facility Quantity: | |
| 4 | |
| Frequency Bandwidth: | |
| 500000.0 kilohertz | |
| Body Depth: | |
| 0.500 inches | |
| Mounting Facility: | |
| Unthreaded hole | |
| Mounting Provision Arrangement Style: | |
| Four position rectangular | |
| Attenuation In Decibels: | |
| 2.000 | |
| Signal Delay Method: | |
| Lumped constant | |
| Section Delay Time: | |
| 3.000 microseconds single section | |
| Terminal Type And Quantity: | |
| 2 coaxial receptacle | |
| Shelf Life: | |
| N/a | |
| Unit Of Measure: | |
| | |
| | |

NSN 5999-01-260-3887

Delay Line - Page 2 of 2

Demilitarization:

Yes - demil/mli

Fiig:

A32100

