NSN 5999-01-261-5442

Delay Line - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-261-5442 **Body Style:** Rectangular **Body Length:** 0.750 inches **Body Width:** 0.305 inches **Individual Section Quantity: Longest Vertical Distance Between Mounting Centers:** 0.330 inches **Operating Tempurature Range:** -37.0/+85.0 degrees celsius **Inclosure Type:** Hermetically sealed **Mounting Facility Quantity:** 14 Input Impedance Rating: 50.000 ohms **Output Impedance Rating:** 50.000 ohms **Body Depth:** 0.187 inches **Mounting Facility:** Pin **Signal Delay Method:** Lumped constant **Delay Time Variation Method:** Tapped **Section Delay Time:** 20.000 nanoseconds single section **Segment Quantity Per Section:** 10 single section **Segment Delay Time:** 2.000 nanoseconds single section all segments **Pulse Rise Time Rating:** 4.0 nanoseconds **Terminal Type And Quantity:** 14 pin **Special Features:** Two rows, seven pins per row spaced 0.100 in. C to c Shelf Life:

N/a

NSN 5999-01-261-5442

Delay Line - Page 2 of 2



Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A32100