## NSN 5999-01-262-0443

Delay Line - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-262-0443 **Body Style:** Rectangular **Body Length:** Between 0.790 inches and 0.810 inches **Body Width:** Between 0.490 inches and 0.510 inches **Individual Section Quantity:** 1 **Longest Vertical Distance Between Mounting Centers:** Between 0.295 inches and 0.305 inches **Operating Tempurature Range:** -55.0/+125.0 degrees celsius **Inclosure Type:** Encased **Mounting Facility Quantity: Voltage Rating:** Between 4.750 volts and 5.250 volts **Body Depth:** 0.165 inches **Mounting Facility:** Pin **Signal Delay Method:** Solid state **Delay Time Variation Method: Tapped Section Delay Time:** 40.000 nanoseconds single section **Segment Quantity Per Section:** 5 single section **Segment Delay Time:** 8.000 nanoseconds single section all segments **Terminal Type And Quantity:** 8 pin **Special Features:** Two rows, four pins per row, irregularly spaced Shelf Life: N/a **Unit Of Measure:** 

**Demilitarization:** Yes - demil/mli

## **NSN 5999-01-262-0443**Delay Line - Page 2 of 2



Fiig:

A32100