NSN 5999-01-262-0443

Delay Line - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5999-01-262-0443

Body Style:

Rectangular

Body Length:

Between 0.790 inches and 0.810 inches

Body Width:

Between 0.490 inches and 0.510 inches

Individual Section Quantity:

1

Longest Vertical Distance Between Mounting Centers:

Between 0.295 inches and 0.305 inches

Operating Tempurature Range:

-55.0/+125.0 degrees celsius

Inclosure Type:

Encased

Mounting Facility Quantity:

8

Voltage Rating:

Between 4.750 volts and 5.250 volts

Body Depth:

0.165 inches

Mounting Facility:

Pin

Signal Delay Method:

Solid state

Delay Time Variation Method:

Tapped

Section Delay Time:

40.000 nanoseconds single section

Segment Quantity Per Section:

5 single section

Segment Delay Time:

8.000 nanoseconds single section all segments

Terminal Type And Quantity:

8 pin

Special Features:

Two rows, four pins per row, irregularly spaced

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

NSN 5999-01-262-0443 Delay Line - Page 2 of 2

Fiig: A32100

