

View Online at <https://aerobasegroup.com/nsn/5999-01-263-2801>

**Cross Sectional Shape:**

Mesh and composition

**Hole Diameter:**

0.240 inches

**Overall Length:**

3.000 inches

**Overall Width:**

2.250 inches

**Minor Width:**

0.125 inches

**Inside Corner Radius:**

0.120 inches

**Outside Corner Radius:**

0.120 inches

**Aperture Width:**

2.000 inches

**Aperture Length:**

2.750 inches

**Center To Center Distance Between Bolt Holes Along Width:**

1.870 inches

**Center To Center Distance Between Bolt Holes Along Length:**

2.620 inches

**Outside Edge To Bolt Hole Center Distance Along Width:**

0.190 inches

**Outside Edge To Bolt Hole Center Distance Along Length:**

0.190 inches

**Cross-sectional Height:**

0.125 inches

**Minor Height:**

0.125 inches

**Bolt Hole Quantity:**

4

**Environmental Protection Material Location:**

Around rf shielding gasket aperture

**Special Features:**

4 0.125 in. Diameter x 0.090 in. H compression stops, 1 centrally located on each side

**Material:**

Rubber butadiene-styrene class sbr environmental seal

**Material Specification:**

Mil-r-6130, type ii, grade a military specification single material response environmental seal

**Style Designator:**

Non-circular

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A032a0

**Mil-std (military Standard):**

Mil-r-6130 spec.