

View Online at <https://aerobasegroup.com/nsn/5999-01-267-2849>

Body Style:

Rectangular

Frequency Rating:

Not rated

Body Length:

0.850 inches

Body Width:

0.305 inches

Individual Section Quantity:

1

Longest Vertical Distance Between Mounting Centers:

0.330 inches

Operating Temperature Range:

-55.0/+125.0 degrees celsius

Inclosure Type:

Hermetically sealed

Mounting Facility Quantity:

16

Voltage Rating:

5.000 volts

Material And Location:

Brass terminal err-100 err-100

Surface Treatment And Location:

Tinned terminal

Input Impedance Rating:

Not rated

Output Impedance Rating:

Not rated

Frequency Bandwidth:

Not rated

Body Depth:

0.225 inches

Mounting Facility:

Pin

Attenuation In Decibels:

Not rated

Signal Delay Method:

Lumped constant

Section Delay Time:

50.000 nanoseconds single section

Segment Quantity Per Section:

10 single section

Segment Delay Time:

5.000 nanoseconds single section all segments

Delay Time Variation Per Deg Celsius:

Not rated

Pulse Rise Time Rating:

4.0 nanoseconds

Terminal Type And Quantity:

16 pin

Special Features:

16 mtg pins, 8 per row spaced 0.100 in. C to c, rows spaced 0.330 in. C to c

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A32100